


M O R G A N

V I S E C O . • C H I C A G O 6 , I L L .



V I S E S

CATALOG 133A

M O R G A N



Morgan Vise DISPLAY STAND


- SELL FASTER
- SELL EASIER
- SELL MORE

This attractive and sturdy display stand furnished to authorized distributors of Morgan Vises.

An attractive display of various types and sizes is an aid to the purchaser in making his selection resulting in more sales for the distributor.

The heavy gauge steel stand is all welded for extra rigidity and strength and it is finished in a rich gray color. It's normal capacity is 10 to 12 vises of assorted sizes. The stand requires a floor space of only 16" x 48". The unit weighs 80 pounds and is shipped fully assembled ready for use.

We will gladly furnish complete information upon request.





Why Morgan Vises ?


Since 1892 the entire engineering and production facilities of The Morgan Vise Co. have been devoted exclusively to the design and manufacture of vises. Smooth functional design, rigid control of materials, accurate machining and close inspection standards assure you of the best vises obtainable for factories, shops, schools and home workshops.

THE MORGAN GUARANTEE

Morgan Vises represent the finest quality in materials and workmanship that money can buy. We have no specified period of time for free replacement nor do we set a time limit on our guarantee. We will, however, stand behind any Morgan Vise which in our opinion shows any manufacturing or material defect. Merchandise will not be accepted for return unless authorized by the Morgan Vise Company.



Morgan . . .




SOLID JAW AND STATIONARY BASE

Dependable strength and extreme rigidity is obtained in the Morgan line of machinists' vises, by the use of a special semi-steel casting and the accurate milling of the sliding bar to snugly fit the broached opening in the base. The jaws are milled parallel and have interchangeable tool-steel faces which may be renewed when battered or worn thus adding years to the life of the vise. The screw is a solid steel forging engaging in a malleable iron nut Acme threaded. This vise is unsurpassed for strength, rigidity and durability. All parts interchangeable.

Handles are nicked for neater appearance.

Vise No.	Code	Width of Jaw, Inches	Jaw Opens, Inches	Wt., Lbs.
30	Abate	3	4	23
35	Abbey	3½	5	31
40	Abroad	4	6	43
45	Acast	4½	7	56
50	Accuse	5	8	74
60	Acor	6	10	138
80	Ardent	8	12	250

MACHINISTS' BENCH VISES




SOLID JAW AND SWIVEL BASE

All the strength and rigidity of our stationary base vises is maintained in the swivel base series by careful workmanship and close inspection; all engaging parts are milled to insure smooth and perfect working. This vise may be swung and clamped in any desired position; a specially designed nut for locking the base at any angle makes it impossible to turn the vise when in use and prevents any play which would destroy the rigidity. Our new and improved base gives a low construction which is very desirable. All parts are interchangeable.

Swivel base vises 5" and larger have double swivel locking attachment. Handles and Side Locks are nickel plated for neater appearance.

Vise No.	Code	Width of Jaw, Inches	Jaw Opens, Inches	Wt., Lbs.
130	Badge	3	4	32
135	Baden	3½	5	44
140	Bald	4	6	57
145	Ballot	4½	7	70
150	Balm	5	8	95
160	Bass	6	10	150
180	Ball	8	12	275




SWIVEL JAW AND SWIVEL BASE

The workmanship and finish of this vise is unsurpassed. Being carefully reinforced at the proper points makes it strong enough to withstand the roughest machine shop usage and as an asset to the tool room where fine work is done it is indispensable. The interchangeability of parts allows smooth faces to be inserted in the jaws for fine work when necessary. A specially designed nut for locking the base prevents any play which would destroy the rigidity.

Swivel base vises 5" and larger have double swivel locking attachment.


Vise No.	Code	Width of Jaw, Inches	Jaw Opens, Inches	Wt., Lbs.
335	Deacon	3½	5	43
345	Dealt	4½	6¼	75
360	Decay	6	9½	164



COMBINATION PIPE VISE, Swivel Base

The Morgan Combination Pipe Vise is constructed to embody the best features of our standard machinists' vise and the convenience of a pipe vise. It is very strongly built. The pipe jaws are milled from a high grade tool steel and the vise jaws have hardened tool-steel faces. This is a very convenient vise and very serviceable. All parts are interchangeable. Handles and Side Locks are nickel plated for neater appearance.


Vise No.	Code	Width of Jaw, Inches	Pipe Cap.	Jaw Opens, Inches	Wt., Lbs.
87	Finch	3½	2½	5½	48
88	Flag	4½	3½	6½	72
288½	Fire	5	4½	7	120
289½	Fast	6	6	10	185



MORGAN LONG JAW HINGED PIPE VISE

Made of high grade malleable iron and backed by the same guarantee as all Morgan Vises. Standard self-locking hook, cold rolled screw and handle, and oil tempered tool steel pipe jaws make this one of the finest pipe vises on the market.

Vise No.	Holds Pipe	Wt., Lbs.
2M	1/8 to 2 "	8
4M	1/8 to 2 1/2 "	11
6M	1/8 to 3 1/2 "	18
8M	1/8 to 4 1/2 "	26




MORGAN "HOMECRAFT" VISE

This vise is built to the same standards as the regular utility line except that the pipe jaws are built in and the plain jaw faces are not hardened. Painted an attractive green.

Vise No.	Jaw Width	Jaw Opens	Approx. Net Wt., Pounds	Packed Per Case
25	3 "	3 "	10	6

Vise No.	Jaw Width	Jaw Opens	Approx. Net Wt., Pounds	Packed Per Case
3	3 "	3 1/2 "	15	4
3 1/2	3 1/2 "	4 "	16	4
4	4 "	4 1/2 "	22	3
5	5 "	5 "	30	1



SHEET METAL WORKERS VISE


FORMERLY COACH MAKERS' VISE
SOLID JAW AND SWIVEL BASE

This vise is particularly serviceable in the woodworkers room as it is equipped with our regular swivel base which allows it to be swung into any desired position and locked securely, making it impossible to turn the vise when in use. The jaws are milled to parallel and the inserted unhardened tool-steel faces are ground to perfect smoothness to insure positive bearing.

Handles and Side Locks are nickel plated for neater appearance.

Vise No.	Code	Width of Jaw Inches	Jaw Opens, Inches	Wt., Lbs.
138	Gas	4 1/2	10	82

Morgan UTILITY VISE




MORGAN UTILITY VISE

The Morgan line of utility vises is available in a complete range of sizes for the home workshop. Rugged construction—finished in a bright red.

- Strong close grained gray iron casting.
- Extra large steel sliding bar.
- Removable steel jaw faces—hardened.
- Pipe jaws which may be removed when not needed.
- Acme threaded cold rolled screw, with one piece handle.
- A good substantial heavy base with positive side lock.
- Cut off tool.


BRASS CAPS FOR VISE JAWS




These caps are used to protect work from the regular corrugated jaw faces. They are made of brass and are put in place with finger prongs, holding them securely in place and yet are easily removed.

ORDER BY WIDTH OF JAW

Width, In. 3 3½ 4 4½ 5 6



Morgan WOODWORKER'S VISE



New - DUAL PURPOSE VISE



A Continuous Screw Vise With Rapid Action Movement

Embodies an extra heavy cold rolled, buttress thread screw. Same high quality semi-steel castings coupled with skilled and accurate machining. Vise engages and disengages at any point, by a simple turn of the handle. Includes the best features of the continuous screw vise and gives you the advantages of a quick action vise. Adjustable stop built into front jaw. TUBULAR STEEL HANDLE.

Vise No.	Width of Jaw, Inches	Depth of Jaw, Inches	Jaw Opens, Inches	Weight, Pounds
18-A	7	4	9	30

MORGAN STEEL BENCH DOG

Cold rolled steel bench dog with ¾" diameter shank 2¼" long. Top is cold rolled stock 2¼" long, 1" wide and ¼" thick.



JUNIOR WOODWORKER'S VISE

Solid Nut continuous Screw woodworking vise with stop in front jaw. Made of semi-steel castings. Fully machined. Hard-wood handle. Fits flush on standard 2¼ inch top.


Same fine quality of materials and workmanship that go into the manufacture of all Morgan Vises.

Packed one in a carton. Six cartons to one master carton.

Vise No.	Width of Jaw, Inches	Depth of Jaw, Inches	Jaw Opens, Inches	Weight Pounds
300A	7	3	7	17

SOLID NUT CONTINUOUS SCREW VISE

Designed and built to withstand the most severe service. The extra heavy Cold Rolled Screw and SOLID NUT will last a lifetime. Note the simplicity of construction; every part carefully machined and interchangeable cold rolled side bars threaded and held in place by hexagon nuts—not riveted. Fits flush on standard 2 1/4" bench top. TUBULAR STEEL HANDLE.



Stop in Front Jaw

Vise No.	Width of Jaw, Inches	Depth of Jaw, Inches	Jaw Opens, Inches	Wt., Lbs.
10A	7	4	9	27
15A	8	4	9	28
20A	10	4	12	33

Plain Front Jaw

20	10	4	12	33
----	----	---	----	----

No. 10A and No. 15A Vise can be furnished with 12-inch opening at list price of \$1.00 additional.

SOLID NUT CONTINUOUS SCREW VISE

Adjustable Steel Handle



Stop in Front Jaw

Vise No.	Width of Jaw, Inches	Depth of Jaw, Inches	Jaw Opens, Inches	Wt. Lbs.
210A	7	4	9	28
215A	8	4	9	30
220A	10	4	12	34

Plain Front Jaw

220	10	4	12	34
-----	----	---	----	----

No. 210A and No. 215A Vise can be furnished with 12-inch opening at list price of \$1.00 additional.



All Morgan Woodworking Vises are built to fit flush on a standard 2 1/4 inch bench top. Vise bodies are held to an exact 90° angle permitting a tight fit between the vise and the bench top.

The working action of this vise is the most simple and effective of any of the screw adjusting type. The screw, having intercepted threads, operates in a half nut, a slight turn of the handle disengaging the screw and permitting jaw to slide back and forth at will. A turn in opposite direction engages screw with nut, holding the work firmly in place. The half nut is a high quality bronze casting, and all parts of the vise are carefully machined and finished.

These vises are furnished either with or without a stop in the front jaw. Every vise fits flush on a standard 2 1/4" top.

There is absolutely nothing about this vise to get out of order. TUBULAR STEEL HANDLE.


Hardwood Handle Furnished Upon Request

Plain Front Jaw

Vise No.	Depth of Jaw, Inches	Width of Jaw, Inches	Jaw Opens, Inches	Wt., Lbs.
100	4	7	9	30
200	4	10	12	36

Stop in Front Jaw

100A	4	7	9	30
200A	4	10	12	36




QUICK ACTION VISE (Toles Pattern)


Maple Faces For All Woodworking Vises

Maple Faces available for all sizes of Woodworking Vises at an additional cost of \$1.50 per pair, list.


List of Parts for Machinists, Sheet Metal Workers and Combination Pipe Vises




PART NO. 6
Swivel Base Plate




PART NO. 1
Main Screw
and Handle




PART NO. 2
Sliding Jaw




PART NO. 3
Swivel Body



PART NO. 4
Stationary Body




PART NO. 5
Swivel Jaw Body




PART NO. 7
Main Vise Nut




PART NO. 8
Side Lock Nut



PART NO. 9
Side Lock Stud



PART NO. 10
Center Bolt
for Base



PART NO. 11
Back Swivel Jaw




PART NO. 12
Jaw Face



PART NO. 13
Collar and
Set Screw



PART NO. 14
Jaw Face Screw



PART NO. 15
Front Pipe
Jaw



PART NO. 16
Back Pipe
Jaw



PART NO. 17
Swivel Jaw
Pin

Vise No.	Width of Jaw	No. 1 Each	No. 2 Each	No. 3 Each	No. 4 Each	No. 5 Each	No. 6 Each	No. 7 Each	No. 8 Each	No. 9 Each	No. 10 Each	No. 11 Each	No. 12 Pair	No. 13 Each	No. 14 Each	No. 15 Each	No. 16 Pair	No. 17 Each
30-130	3	6.00	15.00	15.00	15.00		8.00	2.00	1.80	2.00	1.50		7.20	1.00	.15			
35-135 335	3½	7.20	17.00	17.00	17.00	18.00	10.00	2.40	1.80	2.00	1.80	15.00	7.50	1.10	.15			1.20
40-140	4	9.00	20.00	20.00	20.00		12.00	3.00	1.80	2.00	2.10		8.40	1.20	.15			
45-145 345	4½	12.00	24.00	24.00	24.00	27.00	14.00	4.00	1.80	2.00	2.40	20.00	9.00	1.20	.15			1.60
50-150	5	15.00	30.00	30.00	30.00		22.00	4.50	3.00	3.60	2.70		10.00	1.50	.15			
60-160 360	6	24.00	60.00	60.00	60.00	65.00	28.00	6.00	3.00	3.60	3.60	30.00	12.60	1.80	.15			2.40
80-180	8	36.00	110.00	110.00	110.00		60.00	10.50	3.00	3.60	5.25		16.00	2.40	.15			
87	3½	9.00	20.00	20.00			10.00	3.00	1.80	2.00	1.80		7.50	1.20	.15	2.70	5.40	
88	4½	15.00	26.00	26.00			14.00	4.50	1.80	2.00	2.40		9.00	1.50	.15	3.60	7.20	
288½	5	20.00	45.00	45.00			22.00	6.00	3.00	3.60	2.70		10.00	1.80	.15	6.00	12.00	
289½	6	30.00	78.00	78.00			28.00	8.30	3.00	3.60	3.60		12.60	2.10	.15	9.00	18.00	
138	4½	12.00	26.00	26.00			14.00	4.50	1.80	2.00	2.70		10.00	1.50	.15			


List of Parts for Woodworking Vises




PART NO. 23
Rapid Action
Nut




PART NO. 24
Continuous Nut




PART NO. 30
Steel Handle
& Screw Head




PART NO. 31
18A Nut



PART NO. 21
Rapid Action
Screw




PART NO. 22
Continuous Screw




PART NO. 28
Guide Rod
and Nut




PART NO. 29
Wood Handle




PART NO. 32
Tubular Steel Handle




PART NO. 20
Back Jaw



PART NO. 27
Guide




PART NO. 19
Front Jaw
with Dog



PART NO. 26
Screw Head
and Pin



PART NO. 18
Front Jaw
Plain



PART NO. 25
Rapid Action
Nut, Cap & Screw

Vise No.	Width of Jaw	No. 18 Each	No. 19 Each	No. 20 Each	No. 21 Each	No. 22 Each	No. 23 Each	No. 24 Each	No. 25 Each	No. 26 Each	No. 27 Each	No. 28 Each	No. 29 Each	No. 30 Each	No. 31 Each	No. 32 Each
10A-210A	7		10.00	10.00		6.00		2.40		2.00	1.00	4.00	1.00	3.00		2.00
15A-215A	8		11.00	11.00		7.00		2.40		2.00	1.00	4.00	1.00	3.00		2.00
20A-220A	10		12.00	12.00		8.00		2.40		2.00	1.00	5.00	1.00	3.00		2.00
20-220	10	10.00		12.00		8.00		2.40		2.00	1.00	5.00	1.00	3.00		2.00
100	7	8.00		10.00	8.00		3.00		1.00	2.00	1.00	4.00	1.00			2.00
100A	7		10.00	10.00	8.00		3.00		1.00	2.00	1.00	4.00	1.00			2.00
200	10	10.00		10.00	10.00		3.00		1.00	2.00	1.00	5.00	1.00			2.00
200A	10		12.00	12.00	10.00		3.00		1.00	2.00	1.00	5.00	1.00			2.00
300A	7		6.00	6.00		5.00				2.00		3.00	1.00			2.00
18A	7		10.00	10.00		7.00				2.00	1.00	4.00	1.00		4.00	2.00

COMPARATIVE NUMBERS OF VISES

Machinists and Combination Pipe

Morgan	Reed	Parker	Athol	Columbian	Yost	American Scale	Holland	Prentiss	Rock Island	Simplex	Wilton
30	103	953	613	503	103	51	13	253	591	31P	30N
35	103 1/2	953 1/2	613 1/2	503 1/2	103 1/2	52	13 1/2	253 1/2	592	33P	35N
40	104	954	614	504	104	53	14	254	593	41P	400N
45	104 1/2	954 1/2	614 1/2	504 1/2	104 1/2	54	14 1/2	254 1/2	594	43P	450N
50	105	955	615	505	105	55	15	255	595	51P	50N
60	106	956	616	506	106	56	16	256	597	61P	60N
80	108	958	618	508	108	58	18			81P	
130	203	973	623	603	203	61	23	263	571	31S	30S
135	203 1/2	973 1/2	623 1/2	603 1/2	203 1/2	62	23 1/2	263 1/2	572	33S	35S
140	204	974	624	604	204	63	24	264	573	41S	400S
145	204 1/2	974 1/2	624 1/2	604 1/2	204 1/2	64	24 1/2	264 1/2	574	43S	450S
150	205	975	625	605	205	65	25	265	575	51S	50S
160	206	976	626	606	206	66	26	266	577	61S	60S
180	208	978	628	608	208	68	28			81S	
335	403 1/2	383 1/2	643 1/2	403 1/2	43 1/2	75	43 1/2	453 1/2	851	33SJ	
345	404 1/2	384 1/2	644 1/2	404 1/2	45	77	44 1/2	454 1/2	853	43SJ	
360	406	386	646	406	78	79	46	456			
87	1C	433 1/2	323 1/2 X	203 1/2	31C	22A	52	353 1/2	541B	CP33	C-0
88	2C	434 1/2	324 1/2 X	204 1/2	32C	23A	53	354 1/2	542B	CP43	C-1
288 1/2	3C	435	325X	205	33C	24A	54	355	543B		C-2
289 1/2	4C	436	326X	206	34C	25A	56	356	544B	CP53	
138	224 1/2	674 1/2	424 1/2 X	224 1/2	503	206	264 1/2		950		

Woodworking

Continuous Screw

Morgan	Columbian	Abernathy	Richard- Wilcox	Sheldon	Desmond Stephan	Parker	Prentiss
10-A	5CD		630S-1	Q612-S	W-7-C	25W	15W
15-A							
20-A	3CD		630S-2		W-10-CD	26W	16W
20	3C				W-10-C		
210-A	5CD-S				W-7-CDS	25S	13S
215-A							
220-A	3CD-S				W-10-CDS	26S	16S
220	3-CS				W-10-CS		

Rapid Acting


100	1R		430-1				
100-A	1RD	70D	430S-1	Q603-S	W-7	445W	335W
200	9R		430-2	Q620-S			
200-A	9RD		430S-2	Q635-S	W-10	446W	336W

Jr. Woodworking Vise—Continuous Screw Machine

Dual Purpose Woodworking Vise



All Morgan Vises are packed in individual strong fibre board cartons. This method simplifies handling and stocking for the Distributor and insures perfect condition of the Vise on arrival at destination.



THE MORGAN VISE COMPANY

108-128 NORTH JEFFERSON ST. CHICAGO 6, ILLINOIS

RAndolph

6-2678

MORGAN


SEMI-STEEL VISES

RESALE PRICE LIST No. 14E-R

(When Requesting Discount Sheets Please Order This Number)

EFFECTIVE

NOVEMBER 10, 1958



MORGAN VISE COMPANY

108 N. JEFFERSON ST.

CHICAGO 6. ILL.

RESALE PRICE LIST

NOVEMBER 10, 1958

This price list effective **NOVEMBER 10, 1958** supercedes all previous quotations and is subject to change without notice. Orders accepted subject only to prices in effect at time of shipment.


TERMS OF PAYMENT: 2% 10th Prox—30 days net.

DELIVERY: F.O.B. Chicago, Ill.

FREIGHT ALLOWANCE: All shipments having a net invoice value of \$150.00 or more will be prepaid, based on the lowest possible transportation rate, to any destination in the Continental U.S.A. and Canada.


RESALE PRICES: Distributors are urgently requested to sell at not less than our suggested resale prices.

Machinists' Bench Vises




Stationary Base Machinists' Bench Vises

WISE No.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 15%
30	3"	23	28.00	23.80
35	3½"	31	32.00	27.20
40	4"	43	38.00	32.30
45	4½"	56	48.00	40.80
50	5"	74	62.00	52.70
60	6"	138	116.00	98.60
80	8"	250	220.00	187.00



Swivel Base Machinists' Bench Vises

WISE No.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 15%
130	3"	32	36.00	30.60
135	3½"	44	42.00	35.70
140	4"	57	50.00	42.50
145	4½"	70	62.00	52.70
150	5"	95	84.00	71.40
160	6"	150	144.00	122.40
180	8"	275	280.00	238.00





Swivel Jaw & Swivel Base Machinists' Vises

WISE No.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 15%
335	3½"	43	60.00	51.00
345	4½"	75	84.00	71.40
360	6"	164	180.00	153.00

Combination Pipe and Machinists' Vises

WISE No.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 15%
87	3½"	48	52.00	44.20
88	4½"	72	74.00	62.90
288½	5"	120	114.00	96.90
289½	6"	185	180.00	153.00





Brass Caps for Vise Jaws

WIDTH JAW. IN.
3"
3½"
4"
4½"
5"
6"

LIST PER PAIR
4.60
5.40
6.40
7.40
9.20
15.00

NET RESALE PRICES @ 15%
3.91
4.59
5.44
6.29
7.82
12.75

Long Jaw Pipe Vises



No. VISE
2M
4M
6M
8M

HOLDS PIPE
1/8 to 2
1/8 to 2½
1/8 to 3½
1/8 to 4½

WT. LBS.
8
11
18
26

LIST
12.35
14.60
22.15
28.80

NET RESALE PRICES
12.35
14.60
22.15
28.80



Sheet Metal Workers' Vise

VISE NO.
138
38

WIDTH JAW. IN.
4½
4½

APPROX. WT. LBS.
Solid Jaw and Swivel Base 82
Solid Jaw and Stationary Base 70


LIST
70.00
64.00

NET RESALE PRICES @ 15%
59.50
54.40

Plain Steel Bench Dogs

Cadmium Plated

2¼ in. long, 1" wide, ¼ in. thick at the top.
Shank is cold-rolled steel ¾ in. diameter and
2¼ in. long.



LIST EACH
1.00

NET RESALE PRICES @ 33⅓%
.66

MORGAN *Utility Vises*

Utility Vises


VISE No.
3
3½
4
5

WIDTH JAW. IN.
3"
3½"
4"
5"

APPROX. WT. LBS.
15
16
21
31

LIST
10.50
12.50
18.20
20.50

NET RESALE PRICES @ 33⅓%
7.00
8.33
12.13
13.67



Morgan "Homecraft" Vise


VISE No.
25

WIDTH JAW. IN.
3"


APPROX. WT. LBS.
10

LIST
8.10

NET RESALE PRICES @ 33⅓%
5.40




Woodworker's Vises




Continuous Screw—With Rapid Action Movement—Adjustable Stop
All New Dual Purpose Vise

VICE NO.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 33 1/3 %
18A	7"	30	27.00	18.00
28A	10"	38	30.00	20.00




Solid Nut Continuous Screw Vises — With Adjustable Stop

VICE NO.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 33 1/3 %
10A	7"	27	25.00	16.66
15A	8"	28	26.00	17.33
20A	10"	33	28.00	18.66
Plain Front Jaw				
20	10"	33	27.00	18.00




Solid Nut Continuous Screw — Steel Handle — Adjustable Stop

VICE NO.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 33 1/3 %
210A	7"	28	26.00	17.33
215A	8"	30	27.00	18.00
220A	10"	34	29.00	19.33
Plain Front Jaw				
220	10"	34	28.00	18.66



Quick Action Vises

VICE NO.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 33 1/3 %
Without Stop				
100	7"	30	26.00	17.33
200	10"	36	29.00	19.33
With Stop				
100A	7"	31	27.00	18.00
200A	10"	37	30.00	20.00



Junior Woodworkers Vise — With Adjustable Stop

VICE NO.	WIDTH JAW. IN.	APPROX. WT. LBS.	LIST	NET RESALE PRICES @ 33 1/3 %
300A	7"	17	19.00	12.66
600A	10"	23	22.00	14.66

MORGAN VISE COMPANY
108 N. JEFFERSON ST. CHICAGO 6, ILL.